Your Guide to

Colonoscopy Sutab Prep



at Fairfield Medical Center

Medications that you will need

A prescription for Suta	ab will be sent to your p	harmacy. Please f	follow the d	irections k	oelow w	/hen
taking your Sutab pre	p. If your pharmacy doe	s not receive this	prescription	n, please c	all the	
office at:						

How to take medications for colonoscopy

On the day **BEFORE** your colonoscopy

Only eat foods listed below on the day before your colonoscopy

- Water
- Coffee with NO creamer
- Tea with NO creamer
- Broth (beef, chicken or vegetable) (no meat, noodle or vegetable pieces)
- Apple or white grape juice
- Sprite, ginger ale and 7-Up
- Gatorade or PowerAde (no red, blue or purple)
- Popsicles (no red, blue or purple)
- Jell-O (no red, blue or purple)

If you are diabetic, please buy sugar free options

At 6 p.m.

- 1. Fill the provided cup with sixteen (16) ounces of water. Swallow each pill (12 total) with a sip of water. Drink the remaining water from the cup within 15-20 minutes.
- 2. Approximately one (1) hour after taking the last pill, fill the cup again with sixteen (16) ounces of water and drink the entire cup within thirty (30) minutes.
- 3. Approximately thirty (30) minutes after finishing the second cup of water, fill the cup once more with sixteen (16) ounces of water and drink the entire cup within thirty (30) minutes. Feelings of nausea and bloating are normal and will subside.

On the day of your colonoscopy

Five (5) hours before the time of your colonoscopy

Example: If your colonoscopy is scheduled for 9 a.m. you should start drinking your Sutab prep at 4 a.m. It should be finished by 6 a.m. Do **NOT** drink **ANYTHING** after 7 a.m.

- 1. Fill the provided cup with sixteen (16) ounces of water. Swallow each pill (12 total) with a sip of water. Drink the remaining water from the cup within 15-20 minutes.
- 2. Approximately one (1) hour after taking the last pill, fill the cup again with sixteen (16) ounces of water and drink the entire cup within thirty (30) minutes.
- 3. Approximately thirty (30) minutes after finishing the second cup of water, fill the cup once more with sixteen (16) ounces of water and drink the entire cup within thirty (30) minutes.

You cannot have anything to eat or drink **EXCEPT** your Sutab prep on the morning of your colonoscopy.

You can take your medications with a sip of water the day of your colonoscopy unless told not to take them by your doctor.

Be sure to have finished your Sutab prep and taken your medications at least two (2) hours before your colonoscopy. You should have **NOTHING** to drink two (2) hours before your colonoscopy.

Procedure Date:	Provider:	
Location:		
	he day before your procedure by Fairfield Medical Center for th Monday procedure). Calls will be made sometime prior to 5 p.n	

Colonoscopy Sutab Prep, Continued

Things to remember

- Reminder: You cannot have anything to eat or drink (including water) the day of your procedure except your bowel prep and a small sip of water to take your medicine.
- Someone has to drive you to the hospital, stay at the hospital until you are done and drive
 you home. You cannot drive the day of your colonoscopy. If you do not have someone to
 do these things, your colonoscopy will be cancelled.
- If you take an iron supplement, stop taking them five (5) days before your procedure to avoid discoloration of your stool.
- The office will let you know which of your medications need to be stopped and for how long. Some of the most commonly adjusted medications include blood thinners and diabetic medications. Medication instructions:

- If drinking the Sutab prep makes you sick to your stomach you can try drinking it slower. Some nausea and bloating is normal.
- Your poop should be all liquid. It should not be brown in color. It should look clear to yellow. You will need to reschedule if it does not look like this the morning of your colonoscopy.
- If you need to cancel your colonoscopy you will need to call your doctor's office.

The phone number is: _____



Fairfield Medical Center Endoscopy 740-687-8158 401 N. Ewing St. Lancaster, Ohio 43130 fmchealth.org